




SEARCH RESULTSYou searched for: *damping resistance bypass capacitor , circuit design* 

You refined by:

Publication Year: 1914 - 2005 Results per Page **25** 

Showing 1 - 25 of 610 results

Valve Damping Circuit Design for HVDC Systems

Beausejour, Y.; Karady, G.;
Power Apparatus and Systems, IEEE Transactions on
Volume: PAS-92 , Issue: 5
Digital Object Identifier: 10.1109/TPAS.1973.293709
Publication Year: 1973 , Page(s): 1615 - 1621

IEEE JOURNALS**A new network synthesis methodology for switched capacitor circuit design**

Choi, P.; Connelly, J.A.;
Circuits and Systems, 1989., Proceedings of the 32nd Midwest
Symposium on
Digital Object Identifier: 10.1109/MWSCAS.1989.102014
Publication Year: 1989 , Page(s): 964 - 967 vol.2

IEEE CONFERENCES**Design of thin-film fully-depleted SOI CMOS analog circuits significantly outperforming bulk implementations**

Flandre, D.; Gentinne, B.; Eggermont, J.P.; Jespers, P.;
SOI Conference, 1994 Proceedings., 1994 IEEE International
Digital Object Identifier: 10.1109/SOI.1994.514265
Publication Year: 1994 , Page(s): 99 - 100

IEEE CONFERENCES**Analog equivalent circuit aided design of ferroresonant transformers and circuits**

Lord, H.;
Magnetics, IEEE Transactions on
Volume: 13 , Issue: 5
Publication Year: 1977 , Page(s): 1293 - 1298

IEEE JOURNALS**Design of an RF low-noise bandpass filter using active capacitance circuit**

Young-Hoon Chun; Jae-Flyong Lee; Sang-Won Yun; Jin-Koo Rhee;
Microwave Theory and Techniques, IEEE Transactions on
Volume: 53 , Issue: 2
Digital Object Identifier: 10.1109/TMTT.2004.840565
Publication Year: 2005 , Page(s): 687 - 695

IEEE JOURNALS**Design issues for monolithic DC-DC converters**

Musunuri, S.; Chapman, P.L.; Jun Zou; Chang Liu;
Power Electronics, IEEE Transactions on
Volume: 20 , Issue: 3
Digital Object Identifier: 10.1109/TPEL.2005.848527
Publication Year: 2005 , Page(s): 639 - 649

IEEE JOURNALS

A design method of decoupling circuits for a digital PCB to reduce high frequency current on power and ground planes

Fukumoto, Y.; Nakamura, S.; Wada, O.; Koga, R.;
Electromagnetic Compatibility, 1999 International Symposium on
Digital Object Identifier: 10.1109/ELMAGC.1999.801249
Publication Year: 1999, Page(s): 9 - 12

IEEE CONFERENCES

New Developments in Design and Testing of HVDC Circuit Breakers

Brumshagen, H.; Hartel, H.; Kind, D.;
Power Apparatus and Systems, IEEE Transactions on
Volume: PAS-93, Issue: 5
Digital Object Identifier: 10.1109/TPAS.1974.293860
Publication Year: 1974, Page(s): 1353 - 1358

IEEE JOURNALS

Loop filter design considerations for clock and data recovery circuits [PLL]

Ou, J.; Caggiano, M.F.;
Mixed-Signal Design, 2003. Southwest Symposium on
Digital Object Identifier: 10.1109/SSMSD.2003.1190401
Publication Year: 2003, Page(s): 81 - 88

IEEE CONFERENCES

A new circuit model for power plane system considering decoupling capacitances in multi-layer digital applications

Yong-Ju Kim; Kang, J.H.; KunWoo-park; Jae-Kyung Wae; Han-Sub Yoon; Dong-Ju Lee; Yong-Tak Kim; Jung-Sik Kee;
Electrical Performance of Electronic Packaging, 2002
Digital Object Identifier: 10.1109/EPEP.2002.1057912
Publication Year: 2002, Page(s): 187 - 190

IEEE CONFERENCES

A fully monolithic MMIC low noise amplifier

Boles, T.;
Radio Frequency Integrated Circuits (RFIC) Symposium, 1997.,
IEEE
Digital Object Identifier: 10.1109/RFIC.1997.598754
Publication Year: 1997, Page(s): 109 - 112

IEEE CONFERENCES

Resonance and damping in CMOS circuits with on-chip decoupling capacitance

Larsson, P.;
Circuits and Systems I: Fundamental Theory and Applications,
IEEE Transactions on
Volume: 45, Issue: 8
Digital Object Identifier: 10.1109/81.704824
Publication Year: 1998, Page(s): 849 - 858

IEEE JOURNALS

A cascode crystal oscillator suitable for integrated circuits

Hosaka, K.; Harase, S.; Izumiya, S.; Adachi, Y.;
Frequency Control Symposium and PDA Exhibition, 2002. IEEE
International
Digital Object Identifier: 10.1109/FREQ.2002.1075954
Publication Year: 2002, Page(s): 610 - 614


IEEE CONFERENCES

Design and modeling of metal finger capacitors for RF applications

Subramaniam, K.; Kordesch, A.V.; Esa, M.;
Applied Electromagnetics, 2005. APACE 2005. Asia-Pacific

Conference on
 Digital Object Identifier: 10.1109/APACE.2005.1607828
 Publication Year: 2005
IEEE CONFERENCES

© Copyright 2010 IEEE -- All Rights Reserved

indexed by
 Inspec

Power distribution system design methodology and capacitor selection for modern CMOS technology

Smith, L. D.; Anderson, R.E.; Forehand, D.W.; Peic, T.J.; Roy, T.;
 Advanced Packaging, IEEE Transactions on
 Volume: 22 , Issue: 3
 Digital Object Identifier: 10.1109/6040.784476
 Publication Year: 1999 , Page(s): 284 - 291

IEEE JOURNALS

Grounded-capacitor current-mode SRCO: novel application of DVCC

Gupta, S.S.; Senani, R.;
 Electronics Letters
 Volume: 36 , Issue: 3
 Digital Object Identifier: 10.1049/el:20000240
 Publication Year: 2000 , Page(s): 195 - 196

IST JOURNALS

An 11b 70-MHz 1.2-mm² 49-mW 0.16- μ m CMOS ADC with on-chip current/voltage references

Young-Jae Choi; Seung-Hoon Lee;
 Circuits and Systems I: Regular Papers, IEEE Transactions on
 Volume: 52 , Issue: 10
 Digital Object Identifier: 10.1109/TCSI.2005.853251
 Publication Year: 2005 , Page(s): 1989 - 1995

IEEE JOURNALS

Influence of damping and voltage dependent leakage resistance on mid-frequency power noise

Garben, B.; Pasch, A.;
 Signal Propagation on Interconnects, 2004. Proceedings. 8th IEEE Workshop on
 Digital Object Identifier: 10.1109/SPR.2004.1408999
 Publication Year: 2004 , Page(s): 45 - 45

IEEE CONFERENCES

Modeling of power supply parasitics for selecting on-wafer bypass capacitance in high-speed IC designs

Qirong He; Milton Feng;
 Silicon Monolithic Integrated Circuits in RF Systems, 2004. Digest of Papers. 2004 Topical Meeting on
 Digital Object Identifier: 10.1109/SMIC.2004.1398196
 Publication Year: 2004 , Page(s): 175 - 178

IEEE CONFERENCES

01005 SMT component assembly for wireless SIP modules

Jarvina, R.; Greiner, S.; Warren, R.;
 Electronic Components and Technology Conference, 2005. Proceedings. 55th
 Digital Object Identifier: 10.1109/ECTC.2005.1441986
 Publication Year: 2005 , Page(s): 1500 - 1505 Vol. 2

IEEE CONFERENCES

Design trade-offs of a symmetric linearized CMOS LC VCO

Duiger, F.; Sanchez-Sinencio, E.;
 Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium on
 Volume: 4

Digital Object Identifier: 10.1109/ISCAS.2002.1010475
Publication Year: 2002 , Page(s): IV-397 - IV-400 vol.4

IEEE CONFERENCES

Design of a 32.7-GHz bandwidth AGC amplifier IC with wide dynamic range implemented in SiGe HBT

Ohhata, K.; Masuda, T.; Ohue, E.; Washio, K.;

Solid-State Circuits, IEEE Journal of

Volume: 34 , Issue: 9

Digital Object Identifier: 10.1109/4.762090

Publication Year: 1999 , Page(s): 1290 - 1297

IEEE JOURNALS

Chain-rule resistance: a new circuit principle for inherently linear ultra-low-power on-chip transconductances or transresistances

Serdijn, W.A.; Van Der Woerd, A.G.; Van Roermund, H.M.;

Electronics Letters

Volume: 32 , Issue: 4

Publication Year: 1996 , Page(s): 277 - 278

IEE JOURNALS

Quick-start CMOS voltage reference for positive LDOs

Stanescu, C.; Caracas, C.; Aungurenei, G.; Russell, A.;

Semiconductor Conference, 2005. CAS 2005 Proceedings. 2005

International

Volume: 2

Digital Object Identifier: 10.1109/SMICND.2005.1556805

Publication Year: 2005 , Page(s): 379 - 382 vol. 2

IEEE CONFERENCES

Equivalent inductor composed of switched capacitor circuits or current-mode circuits

Suzuki, W.; Arai, T.; Yamamoto, M.;

Microwave Conference, 1999 Asia Pacific

Volume: 1

Digital Object Identifier: 10.1109/APMC.1999.828043

Publication Year: 1999 , Page(s): 40 - 43 vol.1

IEEE CONFERENCES